



# Merguellil JECAM site (Tunisia)

## CESBIO, INAT

Team: R. Amri, G. Boulet, M. Le Page, Z. Lili-Chabaane, B. Mougnot, V. Simonneaux, M. Zribi

### Site description

The Kairouan plain (300 Km<sup>2</sup>) is located in the centre of Tunisia (North Africa). The site is mostly flat.

Climate: semi-arid with limited water resources

Temperature: average 19.2 °C


Rainfall: 300mm/y with high variability in time and space

Potential evapotranspiration (Penman-Monteith): 1600mm/year.

Soil texture: sandy soil mostly

Field size: from 0.5 to 5 ha

Crops: cereals (wheat, barley), olive groves (irrigated and rainfed), vegetables (winter, summer).



# Merguellil JECAM site



## In situ data 2013 and 2014 (will continue)

### 1) Crop type surveys

Three campaigns of 150 fields each for validation.

### 2) Phenological stage and the Leaf Area Index (LAI)

A set of 10 winter wheat fields was visited 5 times during the growing season. LAI measured using hemispherical photographs. Yield.

### 3) Soil moisture, roughness, texture



A field campaign was carried out during autumn in a sample of 15 bare soil fields, simultaneously to 10 radar acquisitions.

### 4) Fluxes (H<sub>2</sub>O, CO<sub>2</sub>)

XLAS Scintillometer (4 km transect) and Eddy correlation measurements were conducted over the site (mixed irrigated landscape, wheat and olive groves).

### 5) Irrigation data

Plot (~200), farm (~30) and perimeter scale (~15)




# Merguellil JECAM site

## On going activities


- Crop identification (land use)
- Soil moisture and roughness estimation using SAR and optical data.
- Soil hydrodynamic and texture characterisation using optical and SAR data.
- Evaluation of TIR-based evapotranspiration products
- Estimation of evapotranspiration of complex covers (olive groves, ...).
- Evapotranspiration and Irrigation monitoring using simple SVAT model (FAO-56) coupled with NDVI data.
- Analysis of drought monitoring indices
- Estimation of cereals yield using SPOT/HRV optical data and SAFY agrometeorological model

## On going collaborations

- ANR-AMETHYST french project
- SICMED/MISTRALS french program
- TOSCA/CNES french program
- FP7-ImagineS (Implementing Multi-scale Agricultural Indicators Exploiting Sentinels)



Moisture mapping, 1km resolution  
Zribi et al, 2014



Cereal yield mapping  
Chahbi et al., 2014